


Chill CBD Sparkling Water

<b>Batch ID:</b> 083124 -030224	<b>Test ID:</b> T000255721
<b>Type:</b> Unit	<b>Submitted:</b> 09/12/2023 @ 12:46 PM
<b>Test:</b> Potency	<b>Started:</b> 9/13/2023
<b>Method:</b> TM14 (HPLC-DAD)	<b>Reported:</b> 9/14/2023

CANNABINOID PROFILE



CBD	0.01%
CBDa	0.00%
delta 9 THC	0.00%
THCa	0.00%

Compound	LOQ (mg)	Result (mg)	Result (mg/g)
Delta 9-Tetrahydrocannabinolic acid (THCA-A)	1.12	ND	ND
Delta 9-Tetrahydrocannabinol (Delta 9THC)	1.26	ND	ND
Cannabidiolic acid (CBDA)	1.32	ND	ND
Cannabidiol (CBD)	1.28	22.90	0.1
Delta 8-Tetrahydrocannabinol (Delta 8THC)	1.39	ND	ND
Cannabinolic Acid (CBNA)	0.79	ND	ND
Cannabinol (CBN)	0.36	ND	ND
Cannabigerolic acid (CBGA)	1.17	ND	ND
Cannabigerol (CBG)	0.28	ND	ND
Tetrahydrocannabivarinic Acid (THCVA)	0.99	ND	ND
Tetrahydrocannabivarin (THCV)	0.25	ND	ND
Cannabidivarinic Acid (CBDVA)	0.55	ND	ND
Cannabidivarin (CBDV)	0.30	ND	ND
Cannabichromenic Acid (CBCA)	0.45	ND	ND
Cannabichromene (CBC)	0.49	ND	ND
<b>Total Cannabinoids</b>		<b>22.90</b>	<b>0.1</b>
<b>Total Potential THC**</b>		ND	ND
<b>Total Potential CBD**</b>		22.90	0.1

NOTES:

# of Servings = 1, Sample Weight=355g

% = % (w/w) = Percent (Weight of Analyte / Weight of Product)  
 \* Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.  
 \*\* Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step.  
 Total THC = THC + (THCa \*(0.877)) and  
 Total CBD = CBD + (CBDa \*(0.877))  
 ND = None Detected (Defined by Dynamic Range of the method)

FINAL APPROVAL

*K Winternheimer*  
 Karen Winternheimer  
 14-Sep-2023  
 1:44 PM  
 PREPARED BY / DATE

*Samantha Smith*  
 Sam Smith  
 14-Sep-2023  
 1:45 PM  
 APPROVED BY / DATE

Testing results are based solely upon the sample submitted to SC Laboratories, Inc. SC Laboratories, Inc warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. All decision rulings are in accordance with the IVD and results uploaded to METRC. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4329.01



Chill CBD Sparkling Water

<b>Batch ID:</b>	030224 - 083124	<b>Test ID:</b>	T000239112
<b>Matrix:</b>	Finished Product	<b>Received:</b>	03/22/2023 @ 09:12 AM
<b>Test:</b>	Microbial Contaminants	<b>Started:</b>	3/22/2023
<b>Methods:</b>	TM25 (PCR) TM24, TM26, TM27 (Culture Plating)	<b>Reported:</b>	3/27/2023

MICROBIAL CONTAMINANTS

Contaminant	Method	LOD	Quantitation Range	Result
<b>Total Yeast and Mold*</b>	TM-24 Culture Plating	10 <sup>1</sup> CFU/g	2.0x10 <sup>2</sup> - 3.0x10 <sup>4</sup> CFU/g	None Detected
<b>Total Aerobic Count*</b>	TM-26 Culture Plating	10 <sup>2</sup> CFU/g	2.0x10 <sup>3</sup> - 3.0x10 <sup>5</sup> CFU/g	None Detected
<b>Total Coliforms*</b>	TM-27 Culture Plating	10 <sup>1</sup> CFU/g	2.0x10 <sup>2</sup> - 3.0x10 <sup>4</sup> CFU/g	None Detected
<b>STEC</b>	TM-25 PCR	10 <sup>0</sup> CFU/g	N/A	Absent
<b>Salmonella</b>	TM-25 PCR	10 <sup>0</sup> CFU/g	N/A	Absent

\* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form.

Examples: 10<sup>2</sup> = 100 CFU  
10<sup>3</sup> = 1,000 CFU  
10<sup>4</sup> = 10,000 CFU  
10<sup>5</sup> = 100,000 CFU

**NOTES:**  
Free from visual mold, mildew, and foreign matter

**DEFINITIONS:**

CFU/g = Colony Forming Units per gram | LOD = Limit of Detection | STEC = Shiga toxin-producing E. coli  
LLOQ = Lower Limit of Quantitation | ULOQ = Upper Limit of Quantitation

FINAL APPROVAL

*Eden Thompson*  
Eden Thompson-Wright  
3/25/2023  
11:39:00 AM

*Brianne Maillot*  
Brianne Maillot  
3/27/2023  
2:59:00 PM

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to SC Laboratories, Inc. SC Laboratories, Inc warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. All decision rulings are in accordance with the MED and results uploaded to METRC. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4329.01



Certificate #4329.01

Prepared for:

**Chill CBD Sparkling Water**

**BLNCD NATURALS**

Batch ID or Lot Number: <b>030224 - 083124</b>	Test: <b>Pesticides</b>	Reported: <b>3/23/23</b>	Location: 2708 SUMMER STREET NE MINNEAPOLIS, MN 55413
Matrix: Concentrate	Test ID: T000239111	Started: 3/22/23	USDA License: N/A
Status: N/A	Method: TM17(LC-QQQ LC MS/MS);	Received: 03/22/2023 @ 09:12 AM	Sampler ID: N/A

**PESTICIDE DETERMINATION**

Compound	LOQ (ppb)	Result (ppb)	Compound	LOQ (ppb)	Result (ppb)	Compound	LOQ (ppb)	Result (ppb)
Acephate	4	ND	Fenoxycarb	37	ND	Paclobutrazol	45	ND
Acetamiprid	41	ND	Fipronil	30	ND	Permethrin	292	ND
Abamectin	246	ND	Flonicamid	26	ND	Phosmet	43	ND
Azoxystrobin	44	ND	Fludioxonil	309	ND	Prophos	311	ND
Bifenazate	40	ND	Hexythiazox	44	ND	Propoxur	43	ND
Boscalid	47	ND	Imazalil	277	ND	Pyridaben	296	ND
Carbaryl	42	ND	Imidacloprid	43	ND	Spinosad A	34	ND
Carbofuran	42	ND	Kresoxim-methyl	150	ND	Spinosad D	49	ND
Chlorantraniliprole	47	ND	Malathion	290	ND	Spiromesifen	286	ND
Chlorpyrifos	500	ND	Metaxyl	43	ND	Spirotetramat	288	ND
Clofentezine	285	ND	Methiocarb	43	ND	Spiroxamine 1	18	ND
Diazinon	287	ND	Methomyl	40	ND	Spiroxamine 2	23	ND
Dichlorvos	335	ND	MGK 264 1	168	ND	Tebuconazole	300	ND
Dimethoate	40	ND	MGK 264 2	119	ND	Thiacloprid	39	ND
E-Fenpyroximate	288	ND	Myclobutanil	43	ND	Thiamethoxam	41	ND
Etofenprox	45	ND	Naled	53	ND	Trifloxystrobin	44	ND
Etoazole	297	ND	Oxamyl	1500	ND			

*K Winternheimer*

Karen Winternheimer  
3/23/2023  
8:48:00 AM

*Samantha Smith*

Sam Smith  
3/23/2023  
8:51:00 AM

PREPARED BY / DATE

APPROVED BY / DATE

**Definitions**

LOQ = Limit of Quantification  
ppb = Parts per Billion

Testing results are based solely upon the sample submitted to SC Laboratories, Inc. SC Laboratories, Inc warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. All decision rulings are in accordance with the MED and results uploaded to METRC. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited 42LA Certificate Number 4329.01



Certificate #4329.02


Prepared for:

**Chill CBD Sparkling Water**
**BLNCD NATURALS**

Batch ID or Lot Number: <b>030224 -083124</b>	Test: <b>Metals</b>	Reported: <b>3/23/23</b>	Location: 2708 SUMMER STREET NE MINNEAPOLIS, MN 55413
Matrix: Unit	Test ID: T000239113	Started: 3/22/23	USDA License: N/A
Status: Active	Method: TM19 (ICP-MS): Heavy Metals	Received: 03/22/2023 @ 09:12 AM	Sampler ID: N/A

**HEAVY METALS DETERMINATION**

Compound	Dynamic Range (ppm)	Result (ppm)	Notes
Arsenic	0.039 - 3.87	ND	
Cadmium	0.042 - 4.20	ND	
Mercury	0.042 - 4.24	ND	
Lead	0.042 - 4.21	ND	



 Sam Smith  
23-Mar-23  
11:37 AM



 Karen Winternheimer  
23-Mar-23  
11:42 AM

PREPARED BY / DATE

APPROVED BY / DATE

**Definitions**

ND = None Detected (Defined by Dynamic Range of the method)

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.



Certificate #4329.02