

Proficiency Testing:

ATSM & PHENOVA



Professional, Accurate, Responsive

Laboratory Location

6308 Angus Drive, Ste B Raleigh NC 27617 919-673-7153 / 919-450-1870 frank@delta9analytical.com michael@delta9analytical.com

NC Controlled Substance License #: NC-DHHS-1004369 DEA Controlled Substance License #: RD0577986

Company Name: **Enjoy Hemp** Company Address: P.O. Box 310993 Miami, FL 33131 Sample ID: **15546** Received Date: 06042024 Reported Date: 06132024 Test(s) Ordered: **Full Panel** Sample Name: D9 50 Packet Strawberry Sample Type: Edible Sample Matrix: Syrup/Extract Sample Size: 19g

CANNABINOID SUMMARY

TOTAL CANNABINOIDS: 0.2685% 2.685 mg/g (51 mgs) TOTAL THC: 0.2587% ∆9-THC: 2.587 mg/g (49 mgs)

Disclaimer:

Strawberry Packet syrup contains 50mg of hemp-derived Delta 9 THC per bottle with 5mg of Delta 9 THC per serving.



CANNABINOIDS (Liquid Chromatography Mass Spectrometry - LCMS)

MOISTURE (loss on drying): NT

ANALYTE	MASS (%)	MASS (mg/g)	LOQ (%)	ANALYTE	MASS (%)	MASS (mg/g)	LOQ (%)
Cannabinol (CBN)	ND	ND	0.003	9S-Hexahydrocannabinol (HHCS)	ND	ND	0.003
∆8-THC	ND	ND	0.003	9R-Hexahydrocannabinol (HHCR)	ND	ND	0.003
Cannabichromene (CBC)	ND	ND	0.003	Cannabidolic Acid (CBDA)	ND	ND	0.003
Cannabigerol (CBG)	ND	ND	0.003	Δ 9-THC Acid <i>(THCA)</i>	ND	ND	0.003
Cannabidiol (CBD)	0.0098	0.0980	0.003	THC-varian (THCV)	ND	ND	0.003
Cannabigerolic Acid (CBGA)	ND	ND	0.003	***∆9-THC	0.2587	2.587	0.003
Cannabidivarin (CBDV)	ND	ND	0.003	**TOTAL CANNABINOIDS	0.2685	2.685	
Cannabidivarin Acid (CBDVA)	ND	ND	0.003	*TOTAL THC	0.2587	2.587	
Cannabicitran (CBT)	ND	ND	0.003	*TOTAL CBD	0.0098	0.0980	
6aR,9S-∆10-THC	ND	ND	0.003	*TOTAL CBG	ND	ND	
6aR,9R-∆10-THC	ND	ND	0.003	*TOTAL CBDV	ND	ND	
THC-O-Acetate (THCO)	ND	ND	0.003	TOTAL ∆10-THC	ND	ND	
ТНСр	ND	ND	0.003	TOTAL HHC	ND	ND	

9

Calculated as follows: Total CBD/G/V = CBDA/GA/VA% (0.877) + CBD/G/V%. Total THC = THCA%(0.877) + Δ 9-THC%. **Total Cannabinoids is the absolute sum of all cannabinoids detected. **ND** = **Not Detected; NT** = **Not Tested**

RESULT CERTIFICATION 06132024

Frank P. Maurio/Michael R. Horton/Brittany A. Megge Frank P. Maurio COO/Michael R. Horton CSO & Date





Scan QR Code to verify COA at www.delta9anal ytical.com

Testing results are based solely upon the sample submitted to Delta 9 Analytical, LLC. (D9A) In the condition it was received. D9A warrants that all analytical work is conducted professionally in accordance with all applicable standard practices using validated methods utilizing certified reference standards. *****The measurement of uncertainty =** 0.04985%. This report may not be reproduced, except in full, without the written approval of D9A. **Test(s) Ordered:** Full Panel (Pesticides, HMetals, Mycotoxins, Microbials – SJLabs, Macan GA with ISO/IEC 17025:201 #116065 and DEA# RS0581315). RSolvents are not covered under ISO/IEC 17025:2017 Scope of Accreditation.



Laboratory Location 6308 Angus Drive, Ste B Raleigh NC 27617 919-673-7153 / 919-450-1870 frank@delta9analytical.com

michael@delta9analytical.com

Professional, Accurate, Responsive

PESTICIDES (62 pesticides by Liquid Chromatography Mass Spectrometry – LCMS; **ND = Not Detected**)

ANALYTE	LOQ (PPB)	Results (PPB)	Limit (PPB)	ANALYTE	LOQ (PPB)	Results (PPB)	Limit (PPB)	ANALYTE	LOQ (PPB)	Results (PPB)	Limit (PPB)
Abamectin	10	ND	100	Diazinon	10	ND	100	Myclobutanil	10	ND	100
Acephate	10	ND	100	Dimethoate	10	ND	100	Oxamyl	100	ND	100
Acequinocyl	10	ND	100	Dimethomorph	100	ND	100	Paclobutrazol	10	ND	100
Acetamiprid	100	ND	100	Ethoprophos	10	ND	100	Permethrin	10	ND	100
Aldicarb	10	ND	100	Etofenprox	10	ND	100	Phosmet (Imidan)	100	ND	100
Azoxystrobin	100	ND	100	Etoxazole	10	ND	100	Piperonyl Butoxide	100	ND	8000
Bifenazate	10	ND	100	Fenhexamid	10	ND	100	Prallethrin	100	ND	100
Bifenthrin	10	ND	100	Fenoxycarb	10	ND	100	Propiconazole	100	ND	100
Boscalid	100	ND	100	Fluoxastrobin	10	ND	100	Propoxur	10	ND	100
Carbaryl	500	ND	100	Fipronil	10	ND	100	Pyrethrins	100	ND	1000
Carbofuran	10	ND	100	Flonicamid	100	ND	100	Pyridaben	100	ND	100
Chlorantraniliprole	1000	ND	100	Fludioxonil	100	ND	100	Spinetoram	100	ND	100
Chlordane	10	ND	100	Hexythiazox	100	ND	100	Spinosad	100	ND	3000
Chlorfenapyr	10	ND	100	Imazalil	10	ND	100	Spinoxamine	100	ND	100
Chlorpyrifos	10	ND	100	Imidacloprid	10	ND	100	Spiromesifen	100	ND	100
Chlormequat Ch	10	ND	100	Kresoxim Methyl	100	ND	100	Spirotetramat	10	ND	100
Coumaphos	10	ND	100	Malathion	10	ND	100	Tebuconazole	100	ND	100
Cyfluthrin	10	ND	100	Metalaxyl	100	ND	100	Thiacloprid	10	ND	100
Cypermethrin	1000	ND	100	Methiocarb	10	ND	100	Thiamethoxam	100	ND	100
Daminozide	10	ND	100	Methomyl	100	ND	100	Trifloxystrobin	10	ND	100
DDVP	10	ND	100	Mevinphos	10	ND	100	Dichloryos	10	ND	100
Methyl Parathion	10	ND	100	Clofentezine	10	ND	100	Nalad	0.5	ND	0.5
Captan	5	ND	5	Fenpyroximate	10	ND	100	Pentachloronitro benzene	0.2	ND	0.2

HEAVY METALS

Analyte	LOQ (PPM)	Results (PPM)	Limit (PPM)			
Cadmium	0.01	ND	0.2			
Lead	0.01	ND	0.5			
Arsenic	0.01	ND	0.2			
Mercury	0.01	ND	0.2			
Chromium 0.01 0.03 0.3						
Method: ICP-MS ND = Not Detected						

MYCOTOXINS

Toxin	LOQ (PPB)	Results (PPB)	Limit (PPB)	
Aflatoxin B1	5	ND	20	
Aflatoxin B2	5	ND	20	
Aflatoxin G1	5	ND	20	
Aflatoxin G2	5	ND	20	
TOTAL Aflatoxins	20	ND	20	
Ochratoxin A	5	ND	20	
Method: LCM	S	ND = Not L	Detected	

MICROBIALS

WIICKO DIALO							
Organism	LOQ (CFU)	Results (CFU)	Limit (CFU)				
Aspergillus fumigatus	10	ND	10				
Aspergillus terreus	10	ND	10				
Aspergillus niger	10	ND	10				
Aspergillus flavus	10	ND	10				
Total Coliform	10	ND	1000				
BTGN	10	ND	1000				
STEC	1	ND	1				
Salmonella	1	ND	1				
Total Yeast/Mold	10	ND	10000				
Total Aerobic Count	10	ND	100000				

Method: DRBC agar and Petrifilm

RESULT CERTIFICATION 06132024

Frank P. Maurio/Michael R. Horton/Brittany A. Megge

Frank P. Maurio COO/Michael R. Horton CSO & Date





Scan QR Code to verify COA at www.delta9anal ytical.com

Testing results are based solely upon the sample submitted to Delta 9 Analytical, LLC. (D9A) In the condition it was received. D9A warrants that all analytical work is conducted professionally in accordance with all applicable standard practices using validated methods utilizing certified reference standards. *****The measurement of uncertainty =** 0.04985%. This report may not be reproduced, except in full, without the written approval of D9A. **Test(s) Ordered:** Full Panel (Pesticides, HMetals, Mycotoxins, Microbials – SJLabs, Macan GA with ISO/IEC 17025:201 #116065 and DEA# RS0581315). RSolvents are not covered under ISO/IEC 17025:2017 Scope of Accreditation.

NC Controlled Substance License #: NC-DHHS-1004369 DEA Controlled Substance License #: RD0577886



Professional, Accurate, Responsive

Laboratory Location 6308 Angus Drive, Ste B Raleigh NC 27617 919-673-7153 / 919-450-1870 frank@delta9analytical.com michael@delta9analytical.com

RESIDUAL SOLVENTS									
Solvent	Result (PPM)	LOQ (PPM)	Solvent	Result (PPM)	LOQ (PPM)	Solvent	Result (PPM)	LOQ (PPM)	
Acetone	ND	25	Ethanol	ND	100	2-Propanol	ND	25	
Acetonitrile	ND	5	Ethyl Acetate	ND	5	Toluene	ND	1	
Benzene	ND	1	(C7) <i>n</i> -Heptane	ND	5	Trichloroethene	ND	1	
Chloroform	ND	1	(C6) <i>n</i> -Hexane	ND	5	<i>m</i> -Xylene	ND	5 tota	
Cyclohexane	ND	6	Methanol	ND	25	o-Xylene	ND	5 tota	
1,2-Dichloroethane	ND	1	Methylene Chloride	ND	1	<i>p</i> -Xylene	ND	5 tota	
Diethyl ether	ND	20	(C5) <i>n</i> -Pentane	ND	5	Butane	ND	5	
Butane	ND	10							



Delta 9 Analytical Professional, Accurate, Responsive

RESULT CERTIFICATION

Frank P. Maurio/Michael R. Horton/Brittany A. Megge

Frank P. Maurio COO/Michael R. Horton CSO & Date

06132024





Scan QR Code to verify COA at www.delta9anal ytical.com

Testing results are based solely upon the sample submitted to Delta 9 Analytical, LLC. (D9A) In the condition it was received. D9A warrants that all analytical work is conducted professionally in accordance with all applicable standard practices using validated methods utilizing certified reference standards. *****The measurement of uncertainty =** 0.04985%. This report may not be reproduced, except in full, without the written approval of D9A. **Test(s) Ordered:** Full Panel (Pesticides, HMetals, Mycotoxins, Microbials – SILabs, Macan GA with ISO/IEC 17025:201 #116065 and DEA# RS0581315). RSolvents are not covered under ISO/IEC 17025:2017 Scope of Accreditation.