



CONSOLIDATED TEST RESULTS SUMMARY

Please see the following pages for full test results.

BULK SKU GMY.D9.HT5	BATCH # GJ32	SERVING SIZE 1 Gummy (5g)
PRODUCT NAME Hot Toddy THC Gummies		LABORATORY SC Labs Oregon

POTENCY	PER SERVING		PER GRAM	
Cannabidiol (CBD)	26.7	mg/serving	5.34	mg/g
Total THC (d9-THC, THCA)	5.4	mg/serving	1.08	mg/g
Cannabigerol (CBG)	<LOQ	mg/serving	<LOQ	mg/g
Cannabinol (CBN)	<LOQ	mg/serving	<LOQ	mg/g
Cannabichromene (CBC)	<LOQ	mg/serving	<LOQ	mg/g
Tetrahydrocannabinolic Acid (THCA)	<LOQ	mg/serving	<LOQ	mg/g
Delta-9-THC (d9-THC)	5.4	mg/serving	1.08	mg/g
Delta-8-THC (d8-THC)	<LOQ	mg/serving	<LOQ	mg/g

HEAVY METALS	PER GRAM		REGULATORY ACTION LEVEL
Arsenic	<LOQ	µg/g	1.5 µg/g
Cadmium	<LOQ	µg/g	0.5 µg/g
Lead	<LOQ	µg/g	0.5 µg/g
Mercury	<LOQ	µg/g	3.0 µg/g

RESIDUAL SOLVENTS

None of the residual solvents tested were found above the regulatory action level.

PESTICIDES

None of the 50+ pesticides tested were found above the limit of detection.

MICROBIAL	PASS/FAIL
Yeast & Mold	Pass
Coliform	Pass



1. LOQ: Limit of Quantitation
Ethanol is a food additive used in some of our ingredients. The FDA has labeled ethanol as Generally Recognized as Safe (GRAS). Many foods contain trace amounts of ethanol, including soy sauce, pasta sauces, fruits and juices, etc. Our products contain safe levels of ethanol and always below pertinent regulatory action levels.

Sample Name: GMY.D9.HT5-GJ32
Tested for: *Lazarus Naturals-Oregon*
Quality Control Testing

Laboratory ID: 24K0044-05

Matrix: Products

Sample Metrc ID:

Lot # N/A

Batch RFID: N/A

Batch Size: N/A

Harvest Date: N/A

License: NA

Date Sampled: 11/11/24 00:00

Date Accepted: 11/11/24




Potency Analysis

Date Extracted: 11/12/24


Analysis Method: UNODC 5.4.8

Date Analyzed: 11/14/24

* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile
Total THC ((THCA*0.877)+d9)	0.108	1.08	0.0005	
Total CBD ((CBDA*0.877)+CBD)	0.534	5.34	0.0005	
d9-THC (d9-Tetrahydrocannabinol)*	0.108	1.08	0.0005	
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ	0.0005	
THCA (d9-Tetrahydrocannabinolic Acid)*	< LOQ	< LOQ	0.0005	
CBD (Cannabidiol)*	0.534	5.34	0.0005	
CBDA (Cannabidiolic Acid)*	< LOQ	< LOQ	0.0005	
CBN (Cannabinol)	< LOQ	< LOQ	0.0005	
CBG (Cannabigerol)	< LOQ	< LOQ	0.0005	
CBGA (Cannabigerolic Acid)	< LOQ	< LOQ	0.0005	
CBDV (Cannabidivarin)	0.002	0.02	0.0005	
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.0005	
CBC (Cannabichromene)	< LOQ	< LOQ	0.001	
CBCA (Cannabichromenic Acid)	< LOQ	< LOQ	0.008	
THCV (Tetrahydrocannabivarin)	0.0007	0.007	0.0005	
THCVA (Tetrahydrocannabivarinic Acid)	< LOQ	< LOQ	0.008	
Total Cannabinoids	0.645	6.45	0.0005	

<LOQ - Results below the Limit of Quantitation



Breeanna Hamilton
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: GMV.D9.HT5-GJ32	License: NA
Tested for: Lazarus Naturals-Oregon Quality Control Testing	Date Sampled: 11/11/24 00:00
	Date Accepted: 11/11/24
Laboratory ID: 24K0044-05	Sample Metrc ID:
Matrix: Products	Batch RFID: N/A
Lot # N/A	Batch Size: N/A

Pesticide Analysis in ppm

Date Extracted: 11/12/24	Analysis Method: SC-OR-ORG-003
Date Analyzed: 11/12/24	Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.210	Acephate	< LOQ	0.4	0.168
Acequinocyl	< LOQ	2	0.840	Acetamiprid	< LOQ	0.2	0.084
Aldicarb	< LOQ	0.4	0.168	Azoxystrobin	< LOQ	0.2	0.084
Bifenazate	< LOQ	0.2	0.084	Bifenthrin	< LOQ	0.2	0.084
Boscalid	< LOQ	0.4	0.168	Carbaryl	< LOQ	0.2	0.084
Carbofuran	< LOQ	0.2	0.084	Chlorantraniliprole	< LOQ	0.2	0.084
Chlorfenapyr	< LOQ	1	0.420	Chlorpyrifos	< LOQ	0.2	0.084
Clofentezine	< LOQ	0.2	0.084	Cyfluthrin	< LOQ	1	0.420
Cypermethrin	< LOQ	1	0.420	Daminozide	< LOQ	1	0.420
DDVP (Dichlorvos)	< LOQ	1	0.420	Diazinon	< LOQ	0.2	0.084
Dimethoate	< LOQ	0.2	0.084	Ethoprophos	< LOQ	0.2	0.084
Etofenprox	< LOQ	0.4	0.168	Etoxazole	< LOQ	0.2	0.084
Fenoxycarb	< LOQ	0.2	0.084	Fenpyroximate	< LOQ	0.4	0.168
Fipronil	< LOQ	0.4	0.168	Fonicamid	< LOQ	1	0.420
Fludioxonil	< LOQ	0.4	0.168	Hexythiazox	< LOQ	1	0.420
Imazalil	< LOQ	0.2	0.084	Imidacloprid	< LOQ	0.4	0.168
Kresoxim-methyl	< LOQ	0.4	0.168	Malathion	< LOQ	0.2	0.084
Metalaxyl	< LOQ	0.2	0.084	Methiocarb	< LOQ	0.2	0.084
Methomyl	< LOQ	0.4	0.168	Methyl parathion	< LOQ	0.2	0.084
MGK-264	< LOQ	0.2	0.084	Myclobutanil	< LOQ	0.2	0.084
Naled	< LOQ	0.5	0.210	Oxamyl	< LOQ	1	0.420
Paclobutrazol	< LOQ	0.4	0.168	Permethrins (total)	< LOQ	0.2	0.084
Phosmet	< LOQ	0.2	0.084	Piperonyl butoxide	< LOQ	2	0.420
Prallethrin	< LOQ	0.2	0.084	Propiconazole	< LOQ	0.4	0.168
Propoxur	< LOQ	0.2	0.084	Pyrethrins (total)	< LOQ	1	0.420
Pyridaben	< LOQ	0.2	0.084	Spinosad	< LOQ	0.2	0.084
Spiromesifen	< LOQ	0.2	0.084	Spirotetramat	< LOQ	0.2	0.084
Spiroxamine	< LOQ	0.4	0.168	Tebuconazole	< LOQ	0.4	0.168
Thiacloprid	< LOQ	0.2	0.084	Thiamethoxam	< LOQ	0.2	0.084
Trifloxystrobin	< LOQ	0.2	0.084				

<LOQ - Results below the Limit of Quantitation


 Breeanna Hamilton
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: GMY.D9.HT5-GJ32	License: NA
Tested for: Lazarus Naturals-Oregon Quality Control Testing	Date Sampled: 11/11/24 00:00 Date Accepted: 11/11/24
Laboratory ID: 24K0044-05	Sample Metric ID:
Matrix: Products	Batch RFID: N/A
Lot # N/A	Batch Size: N/A

Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ	Date Extracted: 11/12/24
1,4-Dioxane	< LOQ	380	64.0	Date Analyzed: 11/13/24
2-Butanol	< LOQ	5000	393	Analysis Method: USP 467
2-Ethoxyethanol	< LOQ	160	26.9	
2-Propanol (IPA)	< LOQ	5000	393	
Acetone	< LOQ	5000	393	
Acetonitrile	< LOQ	410	69.0	
Benzene	< LOQ	2	0.673	
Butanes	< LOQ	5000	281	
Cyclohexane	< LOQ	3880	654	
Dichloromethane (methylene chloride)	< LOQ	600	101	
Ethyl acetate	< LOQ	5000	393	
Ethyl ether	< LOQ	5000	393	
Ethylbenzene	< LOQ	2170	365	
Ethylene glycol	< LOQ	620	104	
Ethylene oxide	< LOQ	50	22.4	
Heptane	< LOQ	5000	393	
Hexanes	< LOQ	290	48.8	
Isopropyl acetate	< LOQ	5000	393	
Isopropylbenzene (cumene)	< LOQ	70	11.8	
Methanol	< LOQ	3000	1120	
Pentanes	< LOQ	5000	393	
Propane	< LOQ	5000	112	
Tetrahydrofuran	< LOQ	720	121	
Toluene	< LOQ	890	150	
Xylenes	< LOQ	2170	365	

<LOQ - Results below the Limit of Quantitation

Results above the Action Level fail state testing requirements and will be highlighted **Red #**.


 Breeanna Hamilton
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Potency

Batch: B243500 - Potency/Terpenes

Blank(B243500-BLK1)		Extracted - 11/12/24 17:28 Analyzed - 11/13/24 23:10						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	< LOQ	%						
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%						
THCA (d9-Tetrahydrocannabinolic Acid)	< LOQ	%						
CBD (Cannabidiol)	< LOQ	%						
CBDA (Cannabidiolic Acid)	< LOQ	%						
CBN (Cannabinol)	< LOQ	%						
CBG (Cannabigerol)	< LOQ	%						
CBGA (Cannabigerolic Acid)	< LOQ	%						
CBDV (Cannabidivarin)	< LOQ	%						
CBDVA (Cannabidivarinic Acid)	< LOQ	%						
CBC (Cannabichromene)	< LOQ	%						
CBCA (Cannabichromenic Acid)	< LOQ	%						
THCV (Tetrahydrocannabivarin)	< LOQ	%						
THCVA (Tetrahydrocannabivarinic Acid)	< LOQ	%						

Duplicate(B243500-DUP1)		Extracted - 11/12/24 17:28 Analyzed - 11/13/24 23:18						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	0.020	%		0.021			4.69	20
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%		< LOQ				20
THCA (d9-Tetrahydrocannabinolic Acid)	< LOQ	%		< LOQ				20
CBD (Cannabidiol)	0.527	%		0.544			3.13	20
CBDA (Cannabidiolic Acid)	< LOQ	%		< LOQ				20
CBN (Cannabinol)	0.001	%		0.001			3.88	20
CBG (Cannabigerol)	0.026	%		0.027			2.63	20
CBGA (Cannabigerolic Acid)	< LOQ	%		< LOQ				20
CBDV (Cannabidivarin)	0.005	%		0.004			1.43	20
CBDVA (Cannabidivarinic Acid)	< LOQ	%		< LOQ				20
CBC (Cannabichromene)	0.030	%		0.031			3.13	20
CBCA (Cannabichromenic Acid)	< LOQ	%		< LOQ				20
THCV (Tetrahydrocannabivarin)	< LOQ	%		< LOQ				20
THCVA (Tetrahydrocannabivarinic Acid)	< LOQ	%		< LOQ				20

LCS(B243500-BS1)		Extracted - 11/12/24 17:28 Analyzed - 11/13/24 23:01						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit


 Breeanna Hamilton
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Potency (Continued)


Batch: B243500 - Potency/Terpenes (Continued)

LCS(B243500-BS1)		Extracted - 11/12/24 17:28 Analyzed - 11/13/24 23:01						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	0.027	%	0.0278		97.1	90-110		
d8-THC (d8-Tetrahydrocannabinol)	0.029	%	0.0283		102	90-110		
THCA (d9-Tetrahydrocannabinolic Acid)	0.031	%	0.0315		97.1	90-110		
CBD (Cannabidiol)	0.028	%	0.0279		99.1	90-110		
CBDA (Cannabidiolic Acid)	0.029	%	0.0300		97.5	90-110		
CBN (Cannabinol)	0.0004	%				80-120		
CBG (Cannabigerol)	0.001	%				80-120		
CBGA (Cannabigerolic Acid)	0.0005	%				80-120		
CBDV (Cannabidivarin)	0.0004	%				80-120		
CBDVA (Cannabidivarinic Acid)	0.0002	%				80-120		
CBC (Cannabichromene)	< LOQ	%				80-120		
CBCA (Cannabichromenic Acid)	< LOQ	%				80-120		
THCV (Tetrahydrocannabivarin)	< LOQ	%				80-120		
THCVA (Tetrahydrocannabivarinic Acid)	< LOQ	%				80-120		

Solvent Analysis

Batch: B243505 - Residual Solvent Prep

Blank(B243505-BLK1)		Extracted - 11/12/24 18:06 Analyzed - 11/12/24 20:06						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	< LOQ	ug/g						
2-Butanol	< LOQ	ug/g						
2-Ethoxyethanol	< LOQ	ug/g						
2-Propanol (IPA)	< LOQ	ug/g						
Acetone	< LOQ	ug/g						
Acetonitrile	< LOQ	ug/g						
Benzene	< LOQ	ug/g						
Butanes	< LOQ	ug/g						
Cyclohexane	< LOQ	ug/g						
Dichloromethane (methylene chloride)	< LOQ	ug/g						
Ethyl acetate	< LOQ	ug/g						
Ethyl ether	< LOQ	ug/g						
Ethylbenzene	< LOQ	ug/g						
Ethylene glycol	< LOQ	ug/g						
Ethylene oxide	< LOQ	ug/g						



 Breeanna Hamilton
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Solvent Analysis (Continued)

Batch: B243505 - Residual Solvent Prep (Continued)

Blank(B243505-BLK1)		Extracted - 11/12/24 18:06 Analyzed - 11/12/24 20:06						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Heptane	< LOQ	ug/g						
Hexanes	< LOQ	ug/g						
Isopropyl acetate	< LOQ	ug/g						
Isopropylbenzene (cumene)	< LOQ	ug/g						
Methanol	< LOQ	ug/g						
Pentanes	< LOQ	ug/g						
Propane	< LOQ	ug/g						
Tetrahydrofuran	< LOQ	ug/g						
Toluene	< LOQ	ug/g						
Xylenes	< LOQ	ug/g						

LCS(B243505-BS1)		Extracted - 11/12/24 18:06 Analyzed - 11/12/24 19:02						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	597	ug/g	570		105	60-120		
2,2-Dimethylbutane	440	ug/g	435		101	60-120		
2,2-Dimethylpropane (neopentane)	3240	ug/g	3120		104	60-120		
2-Butanol	4000	ug/g	3500		114	60-120		
2-Ethoxyethanol	250	ug/g	240		104	60-120		
2-Methylbutane (isopentane)	3260	ug/g	3500		93.1	60-120		
2-Methylpentane/2,3-Dimethylbutane	789	ug/g	745		106	60-120		
2-Methylpropane (isobutane)	2850	ug/g	3120		91.2	60-120		
2-Propanol (IPA)	3970	ug/g	3500		114	60-120		
3-Methylpentane	444	ug/g	435		102	60-120		
Acetone	3700	ug/g	3500		106	60-120		
Acetonitrile	662	ug/g	615		108	60-120		
Benzene	3.43	ug/g	3.00		114	60-120		
Cyclohexane	5840	ug/g	5820		100	60-120		
Dichloromethane (methylene chloride)	1020	ug/g	900		113	60-120		
Ethyl acetate	3730	ug/g	3500		107	60-120		
Ethyl ether	3570	ug/g	3500		102	60-120		
Ethylbenzene	3230	ug/g	3250		99.4	60-120		
Ethylene glycol	1020	ug/g	930		110	60-120		
Ethylene oxide	420	ug/g	375		112	60-120		
Heptane	3590	ug/g	3500		103	60-120		
Isopropyl acetate	3710	ug/g	3500		106	60-120		



 Breeanna Hamilton
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.


Quality Control

Solvent Analysis (Continued)

Batch: B243505 - Residual Solvent Prep (Continued)

LCS(B243505-BS1)		Extracted - 11/12/24 18:06 Analyzed - 11/12/24 19:02						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Isopropylbenzene (cumene)	96.7	ug/g	105		92.1	60-120		
m,p-Xylene	6590	ug/g	6510		101	60-120		
Methanol	2650	ug/g	2500		106	60-120		
n-Butane	3170	ug/g	3120		101	60-120		
n-Hexane	444	ug/g	435		102	60-120		
n-Pentane	3530	ug/g	3500		101	60-120		
Propane	1190	ug/g	1250		95.0	60-120		
Tetrahydrofuran	1140	ug/g	1080		106	60-120		
Toluene	1330	ug/g	1340		99.6	60-120		
o-Xylene	3250	ug/g	3250		99.9	60-120		

Matrix Spike(B243505-MS1)		Extracted - 11/12/24 18:06 Analyzed - 11/12/24 19:23						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	514	ug/g	540	< LOQ	95.3	71-131		
2,2-Dimethylbutane	330	ug/g	412	< LOQ	80.2	70-130		
2,2-Dimethylpropane (neopentane)	2460	ug/g	2960	< LOQ	83.2	65-168		
2-Butanol	3430	ug/g	3310	< LOQ	103	71-133		
2-Ethoxyethanol	207	ug/g	227	< LOQ	91.2	68-126		
2-Methylbutane (isopentane)	2400	ug/g	3310	< LOQ	72.5	68-141		
2-Methylpentane/2,3-Dimethylbutane	611	ug/g	705	< LOQ	86.6	71-133		
2-Methylpropane (isobutane)	2080	ug/g	2960	< LOQ	70.2	46-179		
2-Propanol (IPA)	3270	ug/g	3310	< LOQ	98.6	74-138		
3-Methylpentane	347	ug/g	412	< LOQ	84.3	69-129		
Acetone	3010	ug/g	3310	< LOQ	90.8	76-142		
Acetonitrile	534	ug/g	582	< LOQ	91.7	72-134		
Benzene	3.04	ug/g	2.84	< LOQ	107	64-130		
Cyclohexane	5290	ug/g	5510	< LOQ	95.8	78-144		
Dichloromethane (methylene chloride)	858	ug/g	852	< LOQ	101	71-131		
Ethyl acetate	3160	ug/g	3310	< LOQ	95.4	75-139		
Ethyl ether	2840	ug/g	3310	< LOQ	85.6	81-141		
Ethylbenzene	3280	ug/g	3080	< LOQ	107	73-135		
Ethylene glycol	711	ug/g	880	< LOQ	80.7	44-113		
Ethylene oxide	294	ug/g	355	< LOQ	82.7	63-142		
Heptane	3200	ug/g	3310	< LOQ	96.5	76-140		
Isopropyl acetate	3240	ug/g	3310	< LOQ	97.8	76-140		



Breeanna Hamilton
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Solvent Analysis (Continued)

Batch: B243505 - Residual Solvent Prep (Continued)

Matrix Spike(B243505-MS1)			Extracted - 11/12/24 18:06 Analyzed - 11/12/24 19:23					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Isopropylbenzene (cumene)	100	ug/g	99.4	< LOQ	101	61-200		
m,p-Xylene	6570	ug/g	6170	< LOQ	107	74-138		
Methanol	2040	ug/g	2370	43.8	84.2	73-135		
n-Butane	2430	ug/g	2960	< LOQ	82.1	32-176		
n-Hexane	354	ug/g	412	< LOQ	85.9	69-127		
n-Pentane	2750	ug/g	3310	< LOQ	83.0	71-140		
Propane	792	ug/g	1180	< LOQ	66.9	45-152		
Tetrahydrofuran	957	ug/g	1020	< LOQ	93.6	74-137		
Toluene	1280	ug/g	1270	< LOQ	101	71-131		
o-Xylene	3330	ug/g	3080	< LOQ	108	72-134		

Matrix Spike Dup(B243505-MSD1)			Extracted - 11/12/24 18:06 Analyzed - 11/12/24					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	487	ug/g	516	< LOQ	94.5	71-131	5.37	25
2,2-Dimethylbutane	312	ug/g	394	< LOQ	79.4	70-130	5.58	25
2,2-Dimethylpropane (neopentane)	2300	ug/g	2830	< LOQ	81.4	65-168	6.75	25
2-Butanol	3220	ug/g	3170	< LOQ	102	71-133	6.36	25
2-Ethoxyethanol	193	ug/g	217	< LOQ	88.9	68-126	7.05	25
2-Methylbutane (isopentane)	2260	ug/g	3170	< LOQ	71.4	68-141	6.04	25
2-Methylpentane/2,3-Dimethylbutane	572	ug/g	674	< LOQ	84.8	71-133	6.63	25
2-Methylpropane (isobutane)	2010	ug/g	2830	< LOQ	71.0	46-179	3.48	25
2-Propanol (IPA)	3080	ug/g	3170	< LOQ	97.4	74-138	5.82	25
3-Methylpentane	327	ug/g	394	< LOQ	83.0	69-129	6.11	25
Acetone	2820	ug/g	3170	< LOQ	89.0	76-142	6.52	25
Acetonitrile	504	ug/g	557	< LOQ	90.5	72-134	5.85	25
Benzene	2.85	ug/g	2.71	< LOQ	105	64-130	6.39	50
Cyclohexane	5030	ug/g	5270	< LOQ	95.4	78-144	5.01	25
Dichloromethane (methylene chloride)	811	ug/g	814	< LOQ	99.6	71-131	5.63	25
Ethyl acetate	2990	ug/g	3170	< LOQ	94.4	75-139	5.58	25
Ethyl ether	2630	ug/g	3170	< LOQ	83.2	81-141	7.42	25
Ethylbenzene	3080	ug/g	2940	< LOQ	105	73-135	6.49	25
Ethylene glycol	694	ug/g	842	< LOQ	82.4	44-113	2.42	50
Ethylene oxide	279	ug/g	339	< LOQ	82.3	63-142	4.95	25
Heptane	3020	ug/g	3170	< LOQ	95.3	76-140	5.78	25
Isopropyl acetate	3010	ug/g	3170	< LOQ	95.1	76-140	7.30	25



 Breeanna Hamilton
 Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Solvent Analysis (Continued)

Batch: B243505 - Residual Solvent Prep (Continued)

Matrix Spike Dup(B243505-MSD1)			Extracted - 11/12/24 18:06 Analyzed - 11/12/24					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Isopropylbenzene (cumene)	96.5	ug/g	95.0	< LOQ	102	61-200	3.91	25
m,p-Xylene	6140	ug/g	5890	< LOQ	104	74-138	6.77	25
Methanol	1920	ug/g	2260	43.8	82.8	73-135	5.99	25
n-Butane	2330	ug/g	2830	< LOQ	82.4	32-176	4.14	25
n-Hexane	332	ug/g	394	< LOQ	84.4	69-127	6.26	25
n-Pentane	2590	ug/g	3170	< LOQ	81.7	71-140	6.05	25
Propane	761	ug/g	1130	< LOQ	67.2	45-152	4.05	50
Tetrahydrofuran	901	ug/g	977	< LOQ	92.1	74-137	6.10	25
Toluene	1210	ug/g	1210	< LOQ	100	71-131	5.57	25
o-Xylene	3110	ug/g	2940	< LOQ	106	72-134	7.00	25



Breeanna Hamilton
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

SAMPLE DETAILS

SAMPLE NAME: CYCL-GMY.D9.HT5-GJ32 micro

Infused, Solid Edible

CULTIVATOR / MANUFACTURER

Business Name:

License Number:

Address:

DISTRIBUTOR / TESTED FOR

Business Name: Lazarus Naturals

License Number:

Address:

SAMPLE DETAIL

Batch Number: GJ32 micro

Sample ID: 241118Q016

Date Collected: 11/18/2024

Date Received: 11/18/2024

Batch Size:


Sample Size: 1.0 units

Unit Mass:

Serving Size:

Scan QR code to verify
authenticity of results.

SAFETY ANALYSIS - SUMMARY

Heavy Metals:  **PASS**Microbiology (PCR):  **PASS**Microbiology (Plating): **ND**

For quality assurance purposes. Not a Regulatory Hemp Lab Test Report. These results relate only to the sample included on this report. This report shall not be reproduced, except in full, without written approval of the laboratory.

Sample Certification: California Code of Regulations Title 4 Division 19. Department of Cannabis Control Business and Professions Code. Reference: Sections 26100, 26104 and 26110, Business and Professions Code.

Decision Rule: Statements of conformity (e.g. Pass/Fail) to specifications are made in this report without taking measurement uncertainty into account. Where statements of conformity are made in this report, the following decision rules are applied: PASS - Results within limits/specifications, FAIL - Results exceed limits/specifications.

References: limit of detection (LOD), limit of quantification (LOQ), not detected (ND), not tested (NT), too numerous to count >250 cfu/plate (TNTC), colony-forming unit (cfu)

LQC verified by: Shelby Young
Job Title: Laboratory Assistant
Date: 11/23/2024

Approved by: Josh Wurzer
Job Title: Chief Compliance Officer
Date: 11/23/2024



Heavy Metals Analysis

Heavy metal analysis utilizing inductively coupled plasma-mass spectrometry (ICP-MS).

Method: QSP 1160 - Analysis of Heavy Metals by ICP-MS

HEAVY METALS TEST RESULTS - 11/23/2024 ✔ PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)	RESULT
Arsenic	0.02 / 0.1	1.5	N/A	ND	PASS
Cadmium	0.02 / 0.05	0.5	N/A	ND	PASS
Lead	0.04 / 0.1	0.5	N/A	ND	PASS
Mercury	0.002 / 0.01	3	N/A	ND	PASS

Microbiology Analysis

PCR AND PLATING

Analysis conducted by polymerase chain reaction (PCR) and fluorescence detection of microbiological contaminants.

Method: QSP 1221 - Analysis of Microbiological Contaminants

MICROBIOLOGY TEST RESULTS (PCR) - 11/22/2024 ✔ PASS

COMPOUND	ACTION LIMIT	RESULT	RESULT
<i>Salmonella</i> spp.	Not Detected in 1g	ND	PASS
Shiga toxin-producing <i>Escherichia coli</i>	Not Detected in 1g	ND	PASS

Analysis conducted by 3M™ Petrifilm™ and plate counts of microbiological contaminants.

Method: QSP 6794 - Plating with 3M™ Petrifilm™

MICROBIOLOGY TEST RESULTS (PLATING) - 11/22/2024 ND

COMPOUND	RESULT (cfu/g)
Coliforms	ND
Total Aerobic Bacteria	ND
Total Yeast and Mold	ND